

KARL MAYER

WE CARE ABOUT YOUR FUTURE


WK vs Circular Knitting Investigation

TCO Calculation


WK(A): HKS 2-SE PLUS Koper / WK(B): HKS 2-SE PLUS Charmeuse

WK(C): HKS 2-S Koper / WK(D): HKS 2-S Charmeuse

Machine investment



Fabric produced per year




TCO Calculation


WK(A): HKS 2-SE PLUS Koper / WK(B): HKS 2-SE PLUS Charmeuse

WK(C): HKS 2-S Koper / WK(D): HKS 2-S Charmeuse

Profit per year




Payback period




Fabric Physical Test

Fabric tensile elastic recovery (%)
fabric weight in the range of 166 to 186 gsm




Fabric Physical Test

Fabric tensile elastic recovery (%)
fabric weight in the range of 244 to 260 gsm



Fabric Physical Test


Fabric tensile elastic elongation (%)
fabric weight in the range of 166 to 186 gsm



Fabric Physical Test


Fabric tensile elastic elongation (%)

fabric weight in the range of 244 to 260 gsm




Fabric Physical Test

Fabric density (E40)
fabric weight in the range of 166 to 186 gsm




Fabric density (E36)
fabric weight in the range of 244 to 260 gsm




Fabric Physical Test

Anti-curl performance



Comparison chart

HKS 2-SE PLUS Koper vs CK Interlock (1 WKM : 1 CKM)



KARL MAYER Holding GmbH & Co. KG

Industriestraße 1 · 63179 Obertshausen · Germany

T +49(0)6104 402-0 · F +49(0)6104 402-600 · info@karlmayer.com · www.karlmayer.com